

FEDERAL INSTITUTE OF INDUSTRIAL PROPERTY

Selected databases
Query parameters
Query definition
Refine query
Query results
Basket
Saved queries
Statistics
Help
Proposals
Exit

DOCUMENT
to the beginning
to the end
print
TERMS
previous
next

Status

(11) Number of the patent document

(13) Kind of document

(14) Document date

(19) Publishing country or organization

(21) Application number

(22) Application filing date

(24) Date started of validity of the patent

(31) Priority application number

(32) Date of filing of priority application

(33) Alloting country or organization

(43) Unexamined printed documents without grant

(45) Date

(516) Edition of IPC

(51) Main classification IPC

(51) Main classification IPC

Title

(71) Applicant information

(72) Inventor information

(73) Grantee (assignee) information

(74) Attorney, agent, representative information

(85) PCT date art. 22/39

(86) PCT or regional filing information

(87) PCT or regional filing information (publ.)

(98) Mail address

Abstract

of 28.03.2007 - operates

2214241

C2

2003.10.20

Search

RU

98123576/14

1997.06.23

1997.06.23

60/022,004

1996.06.28

US

2000.09.27

Search

2003.10.20

Search

7

A61K31/35

Search

IPC

A61P3/04

Search

IPC

METHOD FOR TREATMENT OF OBESITY AND METHOD FOR INDUCING WEIGHT LOSS IN MAMMALS

ORTO-MAKNEJL FARMAS'JuTIKAL, INK. (US)

Search

ShEhNK Richard P. (US)

Search

ORTO-MAKNEJL FARMAS'JuTIKAL, INK. (US)

Search

Lebedeva Natal'ja Georgievna

1998.12.25

US 97/10953 (23.06.1997)

WO 98/00130 (08.01.1998)

129010, Moskva, ul. B. Spasskaja, 25, str.3, OOO

**"Juridicheskaja firma Gorodisskij i Partnery",
pat.pov. N.G.Lebedevoj**

Abstract

FEDERAL INSTITUTE OF INDUSTRIAL PROPERTY

Selected databases
Query parameters
Query definition
Refine query
Query results
Basket
Saved queries
Statistics
Help
Proposals
Exit

[Bibliography](#)

#2214241. Abstract

FIELD: medicine, therapy, endocrinology. SUBSTANCE: invention relates to treatment of obesity. Invention proposes to use topiramate in daily dose 25-400 mg. Method provides significant reduction of weight gain rate in mammals due to diminishing metabolic effectiveness of food, in part, with selective reduction of formation and accumulation of lipids in adipose tissue. EFFECT: enhanced effectiveness of treatment method. 3 cl, 3 tbl, 1 ex

[Bibliography](#)

DOCUMENT
to the beginning
to the end
print